IN THE CLAIMS

Please amend the claims to read as follows:

Listing of Claims

1. (Currently Amended) An electrophotographic photoreceptor comprising a conductive support and a photosensitive layer provided on the conductive layer support, with an undercoat layer provided between the support and the photosensitive layer, characterized in that the undercoat layer contains a polyimide resin represented by the formula [I] and the photosensitive layer contains, as a charge generation agent, oxytitanium phthalocyanine showing a main diffraction peak intensity at a Bragg angle (2t±0.2°)27.3° in X-ray diffraction spectrum when measured using CuKαas a radiation source, wherein the undercoat layer has a thickness of 5.0 - 50 μm, and the undercoat layer has a two-layer structure comprising a layer containing a polyimide resin and a layer comprising a thermosetting resin or a thermoplastic resin provided on the layer containing polyimide resin:

(in the above formula, X is selected from the group consisting of [X-1]-[X-3], and n is an integer which shows a polymerization degree),

[X-1]

[X-2]

[X-3]

2.-3. (Canceled)

- 4. (Original) An electrophotographic photoreceptor according to claim 1, wherein the undercoat layer contains titanium oxide, and the weight ratio of the polyimide resin and the titanium oxide is in the range of 3:1-1:4.
 - 5.-8. (Canceled)
- 9. (Currently Amended) An The electrophotographic apparatus in which of Claim 1 further including a contact charging means is applied to the electrophotographic photoreceptor according to claim 2.
 - 10. (Cancelled)

	11		(Currently Amended)			An The electrophotographic apparatus in which o					
<u>Claim</u>	4_	furth	er including	a	contact	charging	means	is applied	to the	-electro _l	ohotographic
photor	ece	ptor a	ecording to c	lai	m 4 .						

- 12. (Cancelled)
- 13. (Cancelled)
- 14. (Currently Amended) An The electrophotographic apparatus in which of Claim 1 further including an exposing means using a semiconductor laser is applied to the electrophotographic photoreceptor according to claim 2.
- 15. (Currently Amended) An The electrophotographic apparatus in which an of Claim 14 wherein said exposing means using uses a semiconductor laser is applied to the electrophotographic photoreceptor according to claim 3.
- 16. (Currently Amended) An The electrophotographic apparatus in which an of Claim 14 wherein said exposing means using uses a semiconductor laser is applied to the electrophotographic photoreceptor according to claim 4.
 - 17. (Cancelled)
 - 18. (Cancelled)

- 19. (New) The electrophotographic apparatus of Claim 1 further including at least one of a corona charging system, a charging roller and a charging brush.
- 20. (New) The electrophotographic apparatus of Claim 1 further including at least one of a charging roller and a charging brush.